



CAPACITY

Truck Specs

Sabre 9 Off-Highway

GCWR: 242,000



Base Model Sabre 9 / Off-Highway

Basic Overview	GCWR: 242,000
Basic Overview	Axle: 4x2
Basic Overview	Wheelbase: 116"
Basic Overview	Cab: 66"
Powertrain	Cummins QSBT3 6.7L 185 Horsepower, 2500 RPM Turbocharged and Charge Air Cooled
Powertrain	Cummins QSBT4i 6.7L 164 Horsepower, 2300 RPM Turbocharged and Charge Air Cooled
Powertrain	Cummins QSBT4F 6.7L 225 Horsepower, 2400 RPM Turbocharged and Charge Air Cooled
Powertrain	3-Way Shutdown Low Oil PSI, High Coolant Temp, Low Coolant Level
Powertrain	Air Cleaner Filter
Powertrain	Air Intake Restriction Gauge – Engine-Mounted
Powertrain	Vertical Exhaust System
Powertrain	Exhaust Heat Shield
Powertrain	130 Amp Alternator
Powertrain	Denso Starter
Powertrain	Silicone Coolant Hoses
Powertrain	Allison RDS-3000
Powertrain	Meritor FF-961 12,000 lb. Capacity
Powertrain	Meritor MOR-32 12.28:1 Ratio 70,000 lb. Terminal Rating
Powertrain	General S371 11R22.5 Rib Tires
Powertrain	Standard Valve Stems, TR-572 (0°)
Chassis	Group 31, 750 CCA Maintenance-Free Batteries (2)
Chassis	Coolant Recovery Bottle
Chassis	TAS-65 Power Steering
Chassis	Front Tire Flaps
Chassis	Standard Capacity Bumper
Chassis	50-Degree Taper Curbside Deck and Bumper
Chassis	Cab Guards
Chassis	Frame Structure 116"; 82" Between Cab and Center 5th Wheel (In Up Position) and Cab
Chassis	Front Tow Eye
Chassis	Rear Tow Eye
Chassis	Standard Battery Box
Chassis	3 Drain Pull Cords
Chassis	50-Gallon Fuel Tank
Chassis	Leaf Suspension 10L-9R
Chassis	Rigid Suspension

Sabre 9 / Off-Highway - Base Model

Chassis	SAF-Holland FW35 - 70,000 lb. Lift Capacity
Chassis	5th Wheel Lift Height 16"
Chassis	Backup Alarm
Chassis	Recessed Rear/Stop Lights and Backup Lights - LED
Cab	5 Top-of-Cab Clearance Lights - LED
Cab	Standard Mirrors
Cab	National 2000 Series Vinyl Mid-Back Driver's Seat Seat Belt - Black Lap
Cab	Standard Steering Column
Cab	66" Cab
Cab	Keyed Ignition
Cab	4-Point Air Ride Cab
Cab	Door Locks
Cab	Windshield Washer with Electric Intermittent Windshield Wipers
Cab	Volt Meter, Oil Pressure, Water Temperature, Fuel Level, Air Pressure, Hour Meter, Speedometer, Odometer
Cab	High Beam Headlight Indicator, Turn Signal-Hazard Flasher Indicator, Low Fuel, Low Air and Low Engine Oil Pressure Light and Buzzer
Cab	12' Coiled Trailer Air Hoses
Cab	Standard Red and Blue Glad Hand
Cab	45,000 BTU Heater/Defroster
Cab	Dome Light
Cab	Headlights
Other	Standard Bumper Paint Black
Other	Standard Cab Paint White
Other	Standard Wheels Paint White
Other	Standard Steps, Grates and Handrails Paint "Safety Yellow"
Other	Standard Platform Paint White
Other	Standard Frame Paint Black
Other	Standard Rhino Bed Liner, Rear of Cab and Back Half of Hood
Other	Allison Operator Manual #906055
Other	Allison Shift Selector and Code Manual #906054
Other	Driver Orientation #908265
Other	Operator Video #908255
Other	Operator Handbook #909108
Other	Parts Book #906053
Other	PTO Install and Owner's Manual

Options Capacity Recommendations

Recommended	AD-IP Air Dryer
Recommended	Battery Disconnect
Recommended	Flexible Rear Fenders
Recommended	Tire Flaps Behind Drive Axle, with Capacity Logo
Recommended	12V Auxiliary Power Socket
Recommended	Power Terminal Overhead
Recommended	Air Conditioning
Recommended	Amber Strobe Light
Recommended	Work Light, 1 Rear-Facing Curbside Platform-Mounted - LED
Recommended	Work Light, 1 Rear-Facing Driver Side Roof-Mounted - LED
Recommended	8" Convex Mirrors
Recommended	Translucent Sun Visor

Options All Available

Cab Options	4-Point Air Ride Cab
Cab Options	72" Extended-Height Comfort Cab
Cab Options	Air Conditioning
Cab Options	Air Horn
Cab Options	Air Intake Filter Minder Dash-Mounted
Cab Options	AM/FM Radio, CD, MP3
Cab Options	Cab Fan (1 or 2)
Cab Options	Cab Insulation without Air Conditioning
Cab Options	Clipboard with or without Light
Cab Options	Cup Holder
Cab Options	Dash Power Socket (1 or 2)
Cab Options	Door Guard - Black HDPE Plastic
Cab Options	Door Guard - White HDPE Plastic
Cab Options	External Hour Meter
Cab Options	Fire Extinguisher (5 or 10 lbs.)
Cab Options	Glove Box
Cab Options	Keyed with Push Button Ignition
Cab Options	Keyless Toggle Ignition
Cab Options	Keyless with Push Button Ignition
Cab Options	KPH Gauge Package
Cab Options	Orange 3-Point Seat Belt
Cab Options	Black 3-Point Seat Belt
Cab Options	Orange Lap Belt

Sabre 9 / Off-Highway - Options

Cab Options	Overhead Power Terminal LS and/or RS
Cab Options	Power Terminals Back Slope of Dash
Cab Options	Anti-Spray Rain Trapper Skirting
Cab Options	Roof-Mounted Condenser
Cab Options	Translucent Sun Visor
Cab Options	Tachometer
Cab Options	Triangle Reflector Warning Kit
Cab Options	Rear Door Window Guard
Engine Options	Bendix AD-IP Air Dryer
Engine Options	Block Heater with or without Receptacle
Engine Options	Davco Fuel/Water Separator
Engine Options	Delco Starter
Engine Options	Fan Clutch
Engine Options	Jump Start Battery Studs
Engine Options	Racor Heated Fuel/Water Separator
Engine Options	Spin Air Pre-Cleaner
Transmission Options	Lever Shift Transmission Selector
Axle Options	Anti-Lock Braking System (ABS)
Axle Options	Front Shock Absorbers
Axle Options	Additional Leafs, Each Side
Axle Options	Locking Differential
Axle Options	Stemco Oil Seals, Front Axle
Suspension Options	Air Ride Suspension
Steering Options	Hydraguide Steering (non-DOT)
Steering Options	Sheppard M-100 Steering
Steering Options	Tilt and Telescopic Steering Column
Frame Options	Frame Options
Frame Options	Auto Drain Heated Valve (1, 2 or 3)
Frame Options	Auto Drain Valve (2 or 3)
Frame Options	Beavertail
Frame Options	Bumper Magnet 48"
Frame Options	Bumper Magnet 72"
Frame Options	Dollymaster
Frame Options	Heavy Duty Cab Guards
Frame Options	Flexible Rear Fenders

Sabre 9 / Off-Highway - Options

Frame Options	Frame-Mounted Step Curbside, RS (Off-Road Only)
Frame Options	Front Tire Flaps
Frame Options	Graco (Lubriquip) Lube System
Frame Options	Groeneveld Lube System
Frame Options	Headache Rack
Frame Options	Lincoln Lube System
Frame Options	Pintle Hook Front
Frame Options	Pintle Hook Rear
Frame Options	Rear Center Tow Pin
Frame Options	Rear Tire Flaps (Standard in DOT Package)
Frame Options	Rubber Dock Bumper - Bumper-Mounted
Frame Options	Rubber Dock Bumper - Platform-Mounted
Frame Options	Self-Cleaning Bumper Magnet
Frame Options	Smart Backup Alarm
Frame Options	Wabco SS 1200 Air Dryer
Lights Options	360-Degree Spotlight – Roof-Mounted LS
Lights Options	Daytime Running Lights (Standard on DOT Only)
Lights Options	Fog Lights
Lights Options	Forward-Facing Work Lights on a Switch
Lights Options	Full-Time Flashers
Lights Options	High Beam Headlight Indicator
Lights Options	1 Forward-Facing Work Light - LED
Lights Options	1 Rear-Facing Work Light Curbside Mirror Post - LED
Lights Options	1 Rear-Facing Work Light Curbside Mirror Post - LED
Lights Options	1 Rear-Facing Work Light Curbside Roof-Mounted - LED
Lights Options	1 Rear-Facing Work Light Driver's Side Platform-Mounted - LED
Lights Options	Rear-Facing Work Lights on a Switch
Lights Options	Regen Beacon
Lights Options	Seat Belt Beacon
Lights Options	Amber Strobe Light with or without Switch
Mirror Options	Mirrors - 8" Convex
Mirror Options	Heated Convex Mirrors (Requires Standard Heated Mirrors)
Mirror Options	Mirrors - Heated
Mirror Options	Mirrors - Heated with Both Sides Motorized
Mirror Options	Mirrors - Heated with Right Side Motorized
Fifth Wheel Options	34" Hi Lift
Fifth Wheel Options	72" Hi Lift
Fifth Wheel Options	5th Wheel Lock Light

Sabre 9 / Off-Highway - Options

Fifth Wheel Options	5th Wheel Raise Light
Fifth Wheel Options	5th Wheel Release Guard Button
Fifth Wheel Options	5th Wheel, FW2870 100,000 lbs.
Trailer Options	6" Glad Hand Bucket
Trailer Options	EZ Claw
Trailer Options	Pogo Stick - Hose Tender
Trailer Options	Spring-Loaded - Hose Tender
Trailer Options	Trailer Air Hoses 12' Straight Rubber
Trailer Options	Trailer Air Hoses 15' Coiled Nylon
Trailer Options	Trailer Air Hoses 16' Straight Rubber
Trailer Options	Trailer Light Electric Cables 12' (DOT Standard)
Trailer Options	Trailer Light Electric Cables 15'
Trailer Options	Trailer Light Electric Cables 20'
Trailer Options	Trailer Hand Brake
Paint Options	Nonstandard Paint Bumper
Paint Options	Nonstandard Paint Cab
Paint Options	Nonstandard Paint Frame
Paint Options	Nonstandard Paint Platform
Paint Options	Nonstandard Paint Wheels
Paint Options	Remove Capacity Logos
Paint Options	Rhino Lining on Lower Cab
Paint Options	Striped Bumper, Reflective White Tape Only
Battery Options	Batteries, 950 CCA
Battery Options	3 Batteries
Wheel & Tire Options	Air Thru Caps
Wheel & Tire Options	Low Pro Tires
Wheel & Tire Options	Lug Rear Tires

For additional information contact Capacity at:

1.903.759.0610 / 800.323.0135

(International)

(U.S.A.)

CapacityTrucks.com



CAPACITY

Truck Specs

Sabre 9 DOT

GCWR: 242,000



Base Model Sabre 9 / DOT

Basic Overview	GCWR: 242,000
Basic Overview	Axle: 4x2
Basic Overview	Wheelbase: 116"
Basic Overview	Cab: 66"
Powertrain	Cummins ISB13 6.7L 200 Horsepower, 2400 RPM Turbocharged and Charge Air Cooled
Powertrain	3-Way Shutdown Low Oil PSI, High Coolant Temp, Low Coolant Level
Powertrain	Air Cleaner Filter
Powertrain	Air Intake Restriction Gauge – Engine-Mounted
Powertrain	Vertical Exhaust System
Powertrain	Exhaust Heat Shield
Powertrain	130 Amp Alternator
Powertrain	Denso Starter
Powertrain	Silicone Coolant Hoses
Powertrain	Max Road Speed Set to 33 MPH
Powertrain	Allison RDS-3000
Powertrain	Meritor FF-961 12,000 lb. Capacity
Powertrain	Meritor MOR-32 12.28:1 Ratio 70,000 lb. Terminal Rating
Powertrain	General S371 11R22.5 Rib Tires
Powertrain	Standard Valve Stems, TR-572 (0°)
Chassis	Group 31, 750 CCA Maintenance-Free Batteries (2)
Chassis	Coolant Recovery Bottle
Chassis	TAS-65 Power Steering
Chassis	Front Tire Flaps
Chassis	Standard Capacity Bumper
Chassis	50-Degree Taper Curbside Deck and Bumper
Chassis	Cab Guards - Flat
Chassis	Frame Structure 116", 82" Between Cab and Center 5th Wheel (In Up Position) and Cab
Chassis	Front Tow Eye
Chassis	Rear Tow Eye
Chassis	Standard Battery Box, Step Style
Chassis	3 Drain Pull Cords
Chassis	50-Gallon Fuel Tank
Chassis	Leaf Suspension 10L-9R
Chassis	Rigid Suspension
Chassis	SAF-Holland FW35 - 70,000 lb. Lift Capacity
Chassis	5th Wheel Lift Height 16"

Sabre 9 / DOT - Base Model

Chassis	Backup Alarm
Chassis	Recessed Rear/Stop Lights and Backup Lights - LED
Cab	5 Top-of-Cab Clearance Lights - LED
Cab	Standard Mirrors
Cab	National 2000 Series Vinyl Mid-Back Driver's Seat
Cab	Seat Belt - Black Lap
Cab	Standard Steering Column
Cab	66" Cab
Cab	Keyed Ignition
Cab	4-Point Air Ride Cab
Cab	Rear Door Locks
Cab	Translucent Sun Visor
Cab	Windshield Washer with Electric Intermittent Windshield Wipers
Cab	Volt Meter, Oil Pressure, Water Temperature, Fuel Level, Air Pressure, Hour Meter,
Cab	Speedometer, Odometer
Cab	High Beam Headlight Indicator, Turn Signal-Hazard Flasher Indicator, Low Fuel, Low Air and Low Engine Oil Pressure Light and Buzzer
Cab	12' Coiled Trailer Air Hoses
Cab	12' Coiled Trailer Electric Cable
Cab	Standard Red and Blue Glad Hand
Cab	45,000 BTU Heater/Defroster
Cab	Dome Light
Cab	Headlights
Other	Standard Bumper Paint Black
Other	Standard Cab Paint White
Other	Standard Wheels Paint White
Other	Standard Steps, Grates and Handrails Paint "Safety Yellow"
Other	Standard Platform Paint White
Other	Standard Frame Paint Black
Other	Standard Rhino Bed Liner, Rear of Cab and Back Half of Hood
Other	Conspicuity Tape, Daytime Running Lights, License Plate Bracket, Tire Flaps Behind Drive Axle, Trailer Electric Light Cable
Other	Allison Operator Manual #906055
Other	Allison Shift Selector and Code Manual #906054
Other	Driver Orientation #908265
Other	Operator Video #908255
Other	Operator Handbook #909108
Other	Parts Book #906053
Other	PTO Install and Owner's Manual

Options Capacity Recommendations

Recommended	AD-IP Air Dryer
Recommended	Battery Disconnect
Recommended	Flexible Rear Fenders
Recommended	12V Auxiliary Power Socket
Recommended	Power Terminal Overhead
Recommended	Air Conditioning
Recommended	Amber Strobe Light
Recommended	Work Light, 1 Rear-Facing Curbside Platform-Mounted - LED
Recommended	Work Light, 1 Rear-Facing Driver Side Roof-Mounted - LED
Recommended	8" Convex Mirrors
Recommended	Jump Start Studs

Options All Available

Cab Options	4-Point Air Ride Cab
Cab Options	72" Extended-Height Comfort Cab
Cab Options	Air Conditioning
Cab Options	Air Horn
Cab Options	Air Intake Filter Minder Dash-Mounted
Cab Options	AM/FM Radio, CD, MP3
Cab Options	Cab Fan (1 or 2)
Cab Options	Cab Insulation without Air Conditioning
Cab Options	Clipboard with or without Light
Cab Options	Cup Holder
Cab Options	Dash Power Socket (1 or 2)
Cab Options	Door Guard - Black HDPE Plastic
Cab Options	Door Guard - White HDPE Plastic
Cab Options	External Hour Meter
Cab Options	Fire Extinguisher (5 or 10 lbs.)
Cab Options	Glove Box
Cab Options	Keyed with Push Button Ignition
Cab Options	Keyless Toggle Ignition
Cab Options	Keyless with Push Button Ignition
Cab Options	KPH Gauge Package
Cab Options	Orange 3-Point Seat Belt

Sabre 9 / DOT - Options

Cab Options	Black 3-Point Seat Belt
Cab Options	Orange Lap Belt
Cab Options	Overhead Power Terminal LS and/or RS
Cab Options	Power Terminals Back Slope of Dash
Cab Options	Anti-Spray Rain Trapper Skirting
Cab Options	Roof-Mounted Condenser
Cab Options	Translucent Sun Visor
Cab Options	Tachometer
Cab Options	Triangle Reflector Warning Kit
Cab Options	Rear Door Window Guard
Engine Options	Bendix AD-IP Air Dryer
Engine Options	Block Heater with or without Receptacle
Engine Options	Davco Fuel/Water Separator
Engine Options	Delco Starter
Engine Options	Fan Clutch
Engine Options	Jump Start Battery Studs
Engine Options	Racor Heated Fuel/Water Separator
Engine Options	Spin Air Pre-Cleaner
Transmission Options	Lever Shift Transmission Selector
Axle Options	Anti-Lock Braking System (ABS)
Axle Options	Front Shock Absorbers
Axle Options	Additional Leafs, Each Side
Axle Options	Locking Differential
Axle Options	Stemco Oil Seals, Front Axle
Suspension Options	Air Ride Suspension
Steering Options	Hydraguide Steering (non-DOT)
Steering Options	Sheppard M-100 Steering
Steering Options	Tilt and Telescopic Steering Column
Frame Options	Auto Drain Heated Valve (1, 2 or 3)
Frame Options	Auto Drain Valve (2 or 3)
Frame Options	Beavertail
Frame Options	Bumper Magnet 48"
Frame Options	Bumper Magnet 72"
Frame Options	Dollymaster
Frame Options	Heavy Duty Cab Guards

Sabre 9 / DOT - Options

Frame Options	Flexible Rear Fenders
Frame Options	Frame-Mounted Step Curbside, RS (Off-Road Only)
Frame Options	Front Tire Flaps
Frame Options	Graco (Lubriquip) Lube System
Frame Options	Groeneveld Lube System
Frame Options	Headache Rack
Frame Options	Lincoln Lube System
Frame Options	Pintle Hook Front
Frame Options	Pintle Hook Rear
Frame Options	Rear Center Tow Pin
Frame Options	Rear Tire Flaps (Standard in DOT Package)
Frame Options	Rubber Dock Bumper - Bumper-Mounted
Frame Options	Rubber Dock Bumper - Platform-Mounted
Frame Options	Self-Cleaning Bumper Magnet
Frame Options	Smart Backup Alarm
Frame Options	Wabco SS 1200 Air Dryer
Lights Options	360-Degree Spotlight – Roof-Mounted LS
Lights Options	Daytime Running Lights (Standard on DOT Only)
Lights Options	Fog Lights
Lights Options	Forward-Facing Work Lights on a Switch
Lights Options	Full-Time Flashers
Lights Options	High Beam Headlight Indicator
Lights Options	1 Forward-Facing Work Light - LED
Lights Options	1 Rear-Facing Work Light Curbside Mirror Post - LED
Lights Options	1 Rear-Facing Work Light Curbside Mirror Post - LED
Lights Options	1 Rear-Facing Work Light Curbside Roof-Mounted - LED
Lights Options	1 Rear-Facing Work Light Driver's Side Platform-Mounted - LED
Lights Options	Rear-Facing Work Lights on a Switch
Lights Options	Regen Beacon
Lights Options	Seat Belt Beacon
Lights Options	Amber Strobe Light with or without Switch
Mirror Options	Mirrors - 8" Convex
Mirror Options	Heated Convex Mirrors (Requires Standard Heated Mirrors)
Mirror Options	Mirrors - Heated
Mirror Options	Mirrors - Heated with Both Sides Motorized
Mirror Options	Mirrors - Heated with Right Side Motorized

Sabre 9 / DOT - Options

Fifth Wheel Options	34" Hi Lift
Fifth Wheel Options	72" Hi Lift
Fifth Wheel Options	5th Wheel Lock Light
Fifth Wheel Options	5th Wheel Raise Light
Fifth Wheel Options	5th Wheel Release Guard Button
Fifth Wheel Options	5th Wheel, FW2870 100,000 lbs.
Trailer Options	6" Glad Hand Bucket
Trailer Options	EZ Claw
Trailer Options	Pogo Stick - Hose Tender
Trailer Options	Spring-Loaded - Hose Tender
Trailer Options	Trailer Air Hoses 12' Straight Rubber
Trailer Options	Trailer Air Hoses 15' Coiled Nylon
Trailer Options	Trailer Air Hoses 16' Straight Rubber
Trailer Options	Trailer Light Electric Cables 12' (DOT Standard)
Trailer Options	Trailer Light Electric Cables 15'
Trailer Options	Trailer Light Electric Cables 20'
Trailer Options	Trailer Hand Brake
Paint Options	Nonstandard Paint Bumper
Paint Options	Nonstandard Paint Cab
Paint Options	Nonstandard Paint Frame
Paint Options	Nonstandard Paint Platform
Paint Options	Nonstandard Paint Wheels
Paint Options	Remove Capacity Logos
Paint Options	Rhino Lining on Lower Cab
Paint Options	Striped Bumper, Reflective White Tape Only
Battery Options	Batteries, 950 CCA
Battery Options	3 Batteries
Wheel & Tire Options	Air Thru Caps
Wheel & Tire Options	Low Pro Tires
Wheel & Tire Options	Lug Rear Tires

For additional information contact Capacity at:

1.903.759.0610 / 800.323.0135

(International)

(U.S.A.)

CapacityTrucks.com